

DEFINING *LUXURY* WITH COMFORT AND SAFETY

Eicher Skyline 20.15 N



Eicher 20.15 N Bus

Designed to deliver high performance and superior passenger comfort, this intercity bus makes your business profitable and provides a peace of mind Skyline 20.15 is designed with breakthrough technology to redefine the passenger's daily travel experience.

This Bus guarantees a journey which is safe, pleasant and comfortable. Built and assembled at Eicher's state of the art bus manufacturing plant the new Skyline 20.15 promises to deliver a relaxed and luxurious experience to travelers with its spacious interiors and aesthetic looks.

Business Class Features:-



Higher speed and acceleration



Heavy duty aggregates



High durability & reliability



Waveller suspension (air suspension optional)



Higher capacity battery and alternator



Low operating & maintenance cost




Lesser turn-around time



Bigger drive head diameter



Cummins Inline Engine (Cummins B 5.9 BS III)



Max. Power Output: 180 HP @ 2500 RPM

Max. Torque Output: 710 Nm @ 1500 RPM

Engine Features

- BS III Emission norm compliant
- Powerful and reliable
- 6-Cylinder with inline pump
- Superior pick-up and faster turnaround time
- Longer drain oil change interval

Eicher 20.15 Bus Chassis Features

Superior Driveline



6-speed overdrive gearbox



Clutch booster



Clutch with 380mm diameter



Maintenance free Monotron propeller shaft

Enhanced Comfort



Tilt & telescopic



Intelligent driver Information system



Single rod gearshift lever




3-way adjustable Driver seat

USP 3- Reliable & Rugged Aggregates



Reliable domex chassis



10R20 radial tyres



Rear suspension (Waveller standard, air optional)



Safer braking with Air brakes

Specifications

Make : Eicher

Model : 20.15 N

GVW (kg)	16,200
WheelBase (mm)	5840
Overall Length (mm)	11383
Overall Width (mm)	2550
Overall Height (mm)	2564
Internal Height (mm)	1900
Ground Clearance (mm)	230
Engine	Cummins Engine
Power Output	180 HP @ 2500 RPM
Torque	675 Nm @1500 RPM
Clutch (mm)	380 mm with clutch booster
Transmission	6 Forward + 1 Reverse
Front & Rear Suspension	Weveller Suspension
Brakes	Drum Brake front and rear
Tyres Size	Radial Type - 10R20
Steering	Power Steering, Column tilt & Telescopic with column cove
Fuel Tank Capacity (litre)	250
Seat type	HHR
Number of Seats	56